

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	swap\$5 adj (position or bit\$1) and different adj variant\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:28
L2	93	swap\$5 adj (position or bit\$1) and variant\$1 and pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:28
L3	699	swap\$5 adj (position or bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:28
L4	5	swap\$5 adj (position or bit\$1) same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:28
L5	65	swap\$5 and different adj variant\$1 and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:28
L6	6	swap\$5 adj (position or bit\$1) and reduc\$4 adj bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:28
L7	11	swap\$5 adj (position or bit\$1) and hamming adj distance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:28
L8	7	swap\$5 adj (position or bit\$1) and (minimiz\$4 or reduc\$5) adj switch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:28
L9	7	swap\$5 adj (position or bit\$1 or pattern\$1) and (minimiz\$4 or reduc\$5) adj switch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:28
L10	168	swap\$5 adj (position or bit\$1 or pattern\$1) and (minimiz\$5 or reduc\$5) and optimal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 15:28

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	swap\$5 adj (position or bit\$1) and different adj variant\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:28
L2	93	swap\$5 adj (position or bit\$1) and variant\$1 and pattern\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:28
L4	5	swap\$5 adj (position or bit\$1) same cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:28
L8	7	swap\$5 adj (position or bit\$1) and (minimiz\$4 or reduc\$5) adj switch\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/22 13:28